



REN Tread Restorative Deep Cleaning

We understand many escalators are very dirty and not ready for easy maintenance cleaning. They need restorative, deep cleaning before you can begin a regular maintenance program using REN pads.

The REN Tread Brush and gives you the low-cost ability to deep clean and restore your escalators.

The REN Tread Brush is a universal fit designed to work on all escalator treads.





Items required:

- REN Tread Brush TB-24-00
- REN RESTORE solution CS-20-00
- REN Head Unit & Saturation Tub
- REN Pads (V or W or other)
- REN Tread Clean CS-17-00
- Portable vacuum

3 Easy Steps

1. Dry REN Tread Brush cleaning
2. Wet REN Tread Brush cleaning
3. REN Pads final cleaning





REN

Tread Restorative Deep Cleaning

Step 1

Dry REN Tread Brush

Dry REN Brush must be used first, DO NOT use RESTORE liquid.

Using dry, the REN Tread Brush will loosen and collect dirt and dust.

Multiple dry REN Tread Brush applications must be used to achieve best results.

1. Place REN Tread Brush on the oncoming escalator, keep the brush level.
2. Using slight downward pressure, keep in place for five (5) minutes.
3. Remove REN Tread Brush from the tread, vacuum the dirt and dust collected on the REN Tread Brush, or with a small wire brush, gently remove dust and dirt.
4. Repeat the dry REN Tread Brush process until no longer picking up dirt.



RESTORE cleaning solution

Specially formulated to allow safe, effective deep cleaning of all escalators. The NO DRIP formula stays where you spray, clings to surfaces. When sprayed through a nozzle, RESTORE converts into a gel and sticks to the surface.

Will not drip into the escalator mechanicals or chain drive system.

REN

Tread Restorative Deep Cleaning

Step 2

Wet REN Tread Brush

The escalator is now free of loose dirt and dust; however embedded, stubborn dirt and grease remain on the treads. Spraying RESTORE onto the treads will help break the bonded dirt and grease.

Using REN Tread Brush with RESTORE will bring up the deep dirt and grease into a liquefied sludge.

1. RESTORE no drip formula liquid sprays into a gel and will not drip into the escalator.
2. Using a spray bottle, apply the undiluted RESTORE onto the entire escalator tread surface, focusing on stains.
3. Place REN Tread Brush on the oncoming escalator, keep the brush level.
4. Using slight downward pressure to the REN Tread Brush, keep in place for five (5) minutes.
5. Remove REN Tread Brush from the tread, vacuum or rinse as needed.
6. Repeat as required. For difficult remaining stains, use REN Riser Brush (RB-10) to spot scrub difficult stains.



REN

Tread Restorative Deep Cleaning

Step 3

REN PAD FINAL CLEANING

The REN Tread Brush cannot pick up and remove the liquefied dirt from the tread grooves.

REN Pads wipe, absorb and lift away the remaining dirt and grim, leaving a perfectly restored, clean tread surface.

Multiple moist pads may be needed to achieve final cleaning. 2 to 4 pads, depending on the remaining dirt.

1. DILUTE Tread Clean. 10 part water 1 part Tread Clean
2. Pour Diluted Tread Clean into saturation tub. Fill to the top of the white line. Do Not Overfill.
3. Place a REN pad onto the head unit, white side mounts first.
4. Place the pad into the tub, compress sponge pad to absorb liquid.
5. First, place the back edge of the pad into the tread grooves, then drop the pads front edge on the oncoming escalator, self-aligning the pad into the grooves.
6. Using downward pressure, keep in place for five (5) minutes.
7. Remove dirty pad, keep to be washed and rinsed later.
8. Repeat until additional wet pads no longer collect dirt.
9. To shorten dry time, use a dry pad to absorb excess moisture.

